



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

[Inclosures.]

Mortuary statistics from June 1 to June 7, 1902, inclusive, port of Santiago de Cuba.

Causes of death—	Deaths
Fever, intermittent malarial.....	1
Diphtheria	1
Tubercle of lungs.....	3
Apoplexy ...	1
Organic diseases of the heart.....	1
Tetanus, infantile.....	3
Pneumonia.....	1
Diarrhea and enteritis (under 2 years)	1
Bright's disease.....	2
Unspecified causes of death.....	1

Total..... 15

Annual rate of mortality for the week, 18.1 per 1,000. Estimated population, 43,000.

Mortuary statistics from June 8 to June 14, 1902, inclusive, port of Santiago de Cuba.

Causes of death—	Deaths.
Fever, intermittent malarial.....	4
Lagrippe.....	3
Tubercle of lungs.....	5
Tetanus, infantile.....	2
Organic disease of the heart	1
Bronchitis.....	1
Pneumonia.....	3
Diarrhea and enteritis (under 2 years)	2
Diarrhea and enteritis (2 years and over).....	2
Bright's disease.....	1
Malformations, congenital	1
Congenital debility.....	1
Suicide by poison.....	1
Unspecified causes of death	1

Total..... 30

Annual rate of mortality for the week, 36.27 per 1,000. Estimated population, 43,000.

DUTCH GUIANA.

End of yellow-fever epidemic at Demerara.

DEMERARA, BRITISH GUIANA, *June 4, 1902.*

SIR: I have to advise the Department that the epidemic of yellow fever which prevailed in Dutch Guiana, and which was duly reported to the Department, has ceased, and clean bills of health are being issued to vessels clearing from the ports of that colony.

Respectfully,

GEO. H. MOULTON,
United States Consul.

The ASSISTANT SECRETARY OF STATE.

ENGLAND.

Report from Liverpool.

LIVERPOOL, ENGLAND, *June 17, 1902.*

SIR: I have the honor to state that for the week ended June 14, 1902, there were reported to the local health authorities the following cases: Smallpox, 3; typhus fever, 3; enteric fever, 17; scarlet fever, 109; diphtheria, 16, and measles, 146. For the same period there were reported in Birkenhead, 1 case of smallpox, 8 cases of scarlet fever, 1